ELSEVIER

Journal of Magnetism and Magnetic Materials 239 (2002) 620–630

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 239

Abe, H., see Yoshii, K. 85
Abrosimova, N.M., see Shalyguina, E.E. 252
Acremann, Y., A. Kashuba, M. Buess, D. Pescia and C.H. Back, Magnetic spatial non-uniformities on the picosecond timescale 346
Ahn, S.J., see Kim, C.G. 557
Akinaga, H., Magnetoresistive switch effect in metal/semiconductor hybrid granular films—extra huge magnetoresistance effect at room temperature 145
Akinaga, H., see Mizuguchi, M. 269
An, S.Y., see Kim, C.S. 54
An, S.Y., see Lee, S.W. 76
Ando, Y., see Mizukami, S. 42
Arai, K., see Yoshizawa, N. 198
Arnold, Z., see Lachowicz, H.K. 307
Asami, K., see Yoshida, H. 5

Ba, Q., C. Ban, H. Zeng and G. Zeng, Effect of annealing temperature on magnetic after effect in $Fe_{72.5}Cu_1Nb_2V_2Si_{13.5}B_9$ alloy 495
Back, C.H., see Acremann, Y. 346
Ban, C., see Ba, Q. 495
Barthel, J., see Fruchart, O. 224
Bertero, G., see Mei, L. 385
Bian, B., see Mei, L. 385
Bland, J.A.C., see Lee, W.Y. 103
Book, D., see Sugimoto, S. 444
Brown, D.N., see Ma, B.M. 418
Brückl, H., see Luciński, T. 138
Buess, M., see Acremann, Y. 346
Bürgel, Chr., see Wassermann, E.F. 220
Busbridge, S.C., see Guo, Z.J. 554

Carl, A., see Wassermann, E.F. 220
Chai, Y.L., see Chen, G.J. 415
Chan, N.T.N., see Minh, P.T.L. 335
Chan, T.S., see Liu, R.S. 164
Chang, C.-L., see Ke, C.-Y. 604
Chang, C.-R., see Wei, Z.-H. 1
Chang, C.-R., see Yang, J.-S. 28
Chang, C.-R., see Lee, Y.-J. 57
Chang, C.-R., see Yang, J.-S. 73
Chang, C.-R., see Chen, S.-P. 132
Chang, C.C., see Young, S.L. 11
Chang, C.F., see Huang, D.J. 261
Chang, C.H., Ch. Wang, C.S. Hwang, T.C. Fan and G.H. Luo, Circular polarization with rotatable magnetic fields in crossed staggered undulator 363
Chang, C.H., see Hwang, C.S. 586
Chang, C.L., see Wang, C.R. 524
Chang, H.W., see Chang, W.C. 433
Chang, H.W., W.C. Chang, M.D. Lee, J.C. Ho, H.H. Hamdeh and X. Zhang, Magnetic properties and Mössbauer studies of Pr–Fe–B-type nanocomposites 461
Chang, I.J., see Lie, C.T. 160
Chang, L.H., Ch. Wang, G.H. Luo and M.C. Lin, Expression of the axial magnetic attenuation for a circularly cylindrical magnetic shield with partial openings 591
Chang, P.J., see Lee, S.S. 129
Chang, S.M., see Hwang, C.C. 600
Chang, T.Y., see Hwang, C.C. 600
Chang, W.C., see Yao, Y.D. 249
Chang, W.C., J.F. Wen, H.W. Chang, M.D. Lee and B.M. Ma, Phase evolution and magnetic properties of boron enriched $(Nd_{0.7}Pr_{0.25}La_{0.05})_xFe_{bal}Co_{10}Ti_{2.5}B_y$ ($x = 4.5-10.7$; $y = 10.9-18.6$) nanocomposites 433
Chang, W.C., see Chen, S.K. 453
Chang, W.C., see Chang, H.W. 461
Chang, W.C., see Chen, S.K. 471
Chang, Y.-M., M.-T. Lin, W. Pan, C.H. Ho, Y.D. Yao, O. de Haas, R. Schäfer and C.M. Schneider, Magnetic domain imaging of exchange bias system NiO/Cu/NiFe by Kerr microscopy 375
Chang, Y.H., see Chen, G.J. 415
Chen, C., see Mei, L. 385
Chen, C.D., Y.D. Yao, S.F. Lee and D.S. Chung, Magnetoresistance study in Ni–Al–Ni and Al–Ni–Al tunneling junction systems 112
Chen, C.D., W. Kuo, D.S. Chung, J.H. Shyu and C.S. Wu, Spin accumulation in ferromagnetic–superconductor–ferromagnetic double-barrier junctions 141
Chen, C.H., see Huang, T.S. 97
Chen, C.T., see Guo, G.Y. 66
Chen, C.T., see Huang, D.J. 261
Chen, C.T., see Hwang, C.S. 586
Chen, C.W., see Lin, J.-Y. 48
Chen, C.W., see Lai, C.-H. 390
Chen, D.C., see Yu, C.C. 323
Chen, F. and S. Zhou, DC magnetic shielding effects of soft composite sheets 595
Chen, F.-R., see Liao, C.C. 116
Chen, F.C., see Wu, Y.E. 291
Chen, F.R., see Lai, C.-H. 390
Chen, G.J., Y.H. Chang, J.H. Lai and Y.L. Chai, Effect of Ta on microstructure and magneto-optical properties of $(Fe_{72}Pt_{28})_{1-x}Ta_x$ ($x = 0.00-0.02$) alloy films 415

0304-8853/02/$ - see front matter
PII: S0304-8853(01)01386-5

ELSEVIER

Journal of Magnetism and Magnetic Materials 239 (2002) 620–630

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 239

Abe, H., see Yoshii, K. 85
Abrosimova, N.M., see Shalyguina, E.E. 252
Acremann, Y., A. Kashuba, M. Buess, D. Pescia and C.H. Back, Magnetic spatial non-uniformities on the picosecond timescale 346
Ahn, S.J., see Kim, C.G. 557
Akinaga, H., Magnetoresistive switch effect in metal/semiconductor hybrid granular films—extra huge magnetoresistance effect at room temperature 145
Akinaga, H., see Mizuguchi, M. 269
An, S.Y., see Kim, C.S. 54
An, S.Y., see Lee, S.W. 76
Ando, Y., see Mizukami, S. 42
Arai, K., see Yoshizawa, N. 198
Arnold, Z., see Lachowicz, H.K. 307
Asami, K., see Yoshida, H. 5

Ba, Q., C. Ban, H. Zeng and G. Zeng, Effect of annealing temperature on magnetic after effect in $Fe_{72.5}Cu_1Nb_2V_2Si_{13.5}B_9$ alloy 495
Back, C.H., see Acremann, Y. 346
Ban, C., see Ba, Q. 495
Barthel, J., see Fruchart, O. 224
Bertero, G., see Mei, L. 385
Bian, B., see Mei, L. 385
Bland, J.A.C., see Lee, W.Y. 103
Book, D., see Sugimoto, S. 444
Brown, D.N., see Ma, B.M. 418
Brückl, H., see Luciński, T. 138
Buess, M., see Acremann, Y. 346
Bürgel, Chr., see Wassermann, E.F. 220
Busbridge, S.C., see Guo, Z.J. 554

Carl, A., see Wassermann, E.F. 220
Chai, Y.L., see Chen, G.J. 415
Chan, N.T.N., see Minh, P.T.L. 335
Chan, T.S., see Liu, R.S. 164
Chang, C.-L., see Ke, C.-Y. 604
Chang, C.-R., see Wei, Z.-H. 1
Chang, C.-R., see Yang, J.-S. 28
Chang, C.-R., see Lee, Y.-J. 57
Chang, C.-R., see Yang, J.-S. 73
Chang, C.-R., see Chen, S.-P. 132
Chang, C.C., see Young, S.L. 11
Chang, C.F., see Huang, D.J. 261
Chang, C.H., Ch. Wang, C.S. Hwang, T.C. Fan and G.H. Luo, Circular polarization with rotatable magnetic fields in crossed staggered undulator 363
Chang, C.H., see Hwang, C.S. 586
Chang, C.L., see Wang, C.R. 524
Chang, H.W., see Chang, W.C. 433
Chang, H.W., W.C. Chang, M.D. Lee, J.C. Ho, H.H. Hamdeh and X. Zhang, Magnetic properties and Mössbauer studies of Pr–Fe–B-type nanocomposites 461
Chang, I.J., see Lie, C.T. 160
Chang, L.H., Ch. Wang, G.H. Luo and M.C. Lin, Expression of the axial magnetic attenuation for a circularly cylindrical magnetic shield with partial openings 591
Chang, P.J., see Lee, S.S. 129
Chang, S.M., see Hwang, C.C. 600
Chang, T.Y., see Hwang, C.C. 600
Chang, W.C., see Yao, Y.D. 249
Chang, W.C., J.F. Wen, H.W. Chang, M.D. Lee and B.M. Ma, Phase evolution and magnetic properties of boron enriched $(Nd_{0.7}Pr_{0.25}La_{0.05})_xFe_{bal}Co_{10}Ti_{2.5}B_y$ ($x = 4.5-10.7$; $y = 10.9-18.6$) nanocomposites 433
Chang, W.C., see Chen, S.K. 453
Chang, W.C., see Chang, H.W. 461
Chang, W.C., see Chen, S.K. 471
Chang, Y.-M., M.-T. Lin, W. Pan, C.H. Ho, Y.D. Yao, O. de Haas, R. Schäfer and C.M. Schneider, Magnetic domain imaging of exchange bias system NiO/Cu/NiFe by Kerr microscopy 375
Chang, Y.H., see Chen, G.J. 415
Chen, C., see Mei, L. 385
Chen, C.D., Y.D. Yao, S.F. Lee and D.S. Chung, Magnetoresistance study in Ni–Al–Ni and Al–Ni–Al tunneling junction systems 112
Chen, C.D., W. Kuo, D.S. Chung, J.H. Shyu and C.S. Wu, Spin accumulation in ferromagnetic–superconductor–ferromagnetic double-barrier junctions 141
Chen, C.H., see Huang, T.S. 97
Chen, C.T., see Guo, G.Y. 66
Chen, C.T., see Huang, D.J. 261
Chen, C.T., see Hwang, C.S. 586
Chen, C.W., see Lin, J.-Y. 48
Chen, C.W., see Lai, C.-H. 390
Chen, D.C., see Yu, C.C. 323
Chen, F. and S. Zhou, DC magnetic shielding effects of soft composite sheets 595
Chen, F.-R., see Liao, C.C. 116
Chen, F.C., see Wu, Y.E. 291
Chen, F.R., see Lai, C.-H. 390
Chen, G.J., Y.H. Chang, J.H. Lai and Y.L. Chai, Effect of Ta on microstructure and magneto-optical properties of $(Fe_{72}Pt_{28})_{1-x}Ta_x$ ($x = 0.00-0.02$) alloy films 415

0304-8853/02/$ - see front matter
PII: S0304-8853(01)01386-5

Chen, H.Z., see Shi, J.B. 8
Chen, H.Z., see Young, S.L. 11
Chen, H.Z., see Young, S.L. 70
Chen, J., see Huang, D.J. 261
Chen, J.M., see Lin, J.-Y. 48
Chen, J.W., see Lie, C.T. 160
Chen, L.-C., see Liao, C.C. 116
Chen, M.M., see Huang, J.C.A. 326
Chen, R., see Tung, M.J. 402
Chen, R.H., see Wu, Y.E. 291
Chen, S.-P. and C.-R. Chang, Magnetic tunneling junctions with an inserted ferromagnetic metal spacer 132
Chen, S.K., W.C. Chang and M.D. Lee, Fabrication and magnetic properties of $Nd_{11.4}La_{0.6}Fe_{76}M_2B_{10}$ (M = Ti, Cr) films 453
Chen, S.K., F.T. Yuan, W.C. Chang and T.-S. Chin, Magnetic properties of FePt and $Fe_{50}Pt_{50-x}Nb_x$ ($x = 0.00$, 0.83, 1.31, 2.05) thin films 471
Chen, W.-C., C.-H. Lai, S.F. Lee, Y.T. Cheng and Y.D. Yao, Structural effects on interlayer coupling of Fe/Si multilayer 319
Chen, Y., see Tong, H.-C. 106
Chen, Y.C., see Young, S.L. 11
Chen, Y.C., see Young, S.L. 70
Chen, Y.Y., see Yao, Y.D. 249
Chen, Y.Y., see Wang, C.R. 524
Chen, Z., see Ma, B.M. 418
Cheng, W.C., see Chuang, T.M. 301
Cheng, W.C., see Yu, C.C. 323
Cheng, Y.T., see Chen, W.-C. 319
Chern, M.Y., see Chiang, W.-C. 332
Chiang, W.-C., M.Y. Chern, J.G. Lin and C.Y. Huang, FMR studies of $Y_3Fe_5O_{12}/Gd_3Ga_5O_{12}$ (YIG/GGG) superlattices and YIG thin films 332
Chiba, M., K. Morio and Y. Koizumi, Microstructure and magnetic properties of iron oxide thin films by solid reaction 457
Chiba, S., see Osada, H. 576
Chin, T.-S., see Tsai, J.-L. 450
Chin, T.-S., see Chen, S.K. 471
Chin, T.S., M.R. Jian, J.C. Shih and J.L. Tsai, Magnetic properties of $NdFe_{11}TiN_x$–αFe two-phase films 468
Cho, S., Y. Kim, L.J. Olafsen, I. Vurgaftman, A.J. Freeman, G.K.L. Wong, J.R. Meyer, C.A. Hoffman and J.B. Ketterson, Large magnetoresistance in post-annealed polycrystalline and epitaxial Bi thin films 201
Cho, W.S., H.B. Lee, T.S. Yoon, Y.W. Lee, J.H. Kim and C.O. Kim, Thickness dependence of incremental permeability in Mumetal(t)/CoCr bilayers 304
Cho, W.S., see Yoon, T.S. 509
Choe, S.-B., see Lee, H.-S. 343
Choi, B.C., see Lee, W.Y. 103
Choi, D., see Kim, Y.M. 498
Choi, S.-Y., see Sohn, S.-B. 533
Chou, H.-P., see Shen, S.-C. 610
Chuang, T.M., S.F. Lee, S.Y. Huang, Y.D. Yao, W.C. Cheng and G.R. Huang, Anomalous magnetic moments in Co/Nb multilayers 301
Chueh, C.-H., see Ma, Y.-R. 371
Chung, D.S., see Chen, C.D. 112
Chung, D.S., see Chen, C.D. 141
Chung, M.S., see Hong, S.C. 39
Chung, S.C., see Huang, D.J. 261
Ciurzyńska, W.H., see Hasiak, M. 506
Coey, J.M.D., see Han, X.F. 204

Damm, T., see Tsunoda, M. 182
De Haas, O., see Chang, Y.-M. 375
Dhakal, T.P., see Takeuchi, J. 173
Djayaprawira, D.D., see Michalke, T. 22
Djayaprawira, D.D., K. Komiyama, S. Yoshimura, T. Michalke and M. Takahashi, Dependence of exchange bias field on composition of stabilizing layer and sputtering process in synthetic ferrimagnetic coupled media 396
Djayaprawira, D.D., see Domon, H. 406
Domon, H., D.D. Djayaprawira and M. Takahashi, Magnetic properties and microstructure of CoGeCr-based thin film media 406
Dubowik, J., see Stobiecki, F. 276
Dudzikowski, I., see Ślusarek, B. 597

Ebisuya, M., see Matsumoto, M. 521

Fan, T.C., see Chang, C.H. 363
Fan, Y.Y., see Shi, J.B. 8
Freeman, A.J., see Cho, S. 201
Fruchart, O., P.-O. Jubert, C. Meyer, M. Klaua, J. Barthel and J. Kirschner, Vertical self-organization of epitaxial magnetic nanostructures 224
Fu, C.M., P.C. Kao, M.S. Tsai, H.S. Hsu, C.C. Yu and J.C.A. Huang, Magnetic anisotropy of permalloy thin film on Mo stepped surface 17
Fu, C.M., see Huang, J.C.A. 326
Fujimori, H., see Yamaguchi, M. 255
Fujimori, H., see Shima, T. 573
Fujita, A., see Yamada, K. 412
Fujita, A., see Ohta, M. 527
Fujiwara, K., see Miyoshi, K. 63
Fukamichi, K., see Otani, Y. 135
Fukamichi, K., see Novosad, V. 234
Fukamichi, K., see Oikawa, K. 409
Fukamichi, K., see Yamada, K. 412
Fukamichi, K., see Ohta, M. 527
Fukamichi, K., see Umetsu, R.Y. 530
Fukuda, N., see Yamada, K. 356
Fukunaga, H., see Hasiak, M. 506
Furuya, Y., see Kubota, T. 551

Gan'shina, E.A., N.S. Perov, M.Yu Kochneva, P.M. Sheverdyaeva, C.G. Kim and C.O. Kim, Magneto-static and magneto-optical properties of Co-based amorphous ribbons 484
Gan'shina, E.A., I.K. Rodin, O.Yu. Gorbenko and A.R. Kaul, Magneto-optical properties of manganites $La_xMnO_{3+\delta}$ with different oxide non-stoichiometry 537
Giroud, M., see Otani, Y. 135
Gładyszewski, G., see Kanak, J. 329
Gorbenko, O.Yu., see Gan'shina, E.A. 537
Goto, T., see Mitamura, H. 31

Gou, Y.S., see Lin, J.-Y. 48
Guo, G.Y., Y.L. Wang and C.T. Chen, On the orbital magnetic moment and anisotropy energy of the ordered $Fe_{0.5}Pd_{0.5}$ alloy 66
Guo, G.Y., see Jeng, H.-T. 88
Guo, G.Y., Y.K. Wang and L.-S. Hsu, First-principles and experimental studies of the electronic structures and magnetism in Ni_3Al, Ni_3Ga and Ni_3In 91
Guo, G.Y., see Lin, J.C. 240
Guo, Z.J., S.C. Busbridge, Z.D. Zhang, B.W. Wang and A.R. Piercy, Dynamic magnetic and magnetoelastic properties of epoxy-$TbFe_2$ composites 554
Guslienko, K.Yu., see Novosad, V. 234

Ha, J.G., see Lee, K.I. 120
Hagiwara, H., see Yamada, K. 356
Hamdeh, H.H., see Chang, H.W. 461
Han, S.H., see Kim, K.H. 487
Han, S.H., see Kim, Y.M. 498
Han, S.H., see Kim, K.H. 579
Han, W., see Li, D. 564
Han, W., D. Li, Z. Lu, S. Zhou and H. Zhang, Giant stress-impedance effect in amorphous and current annealed $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ wires 567
Han, X.F., W.Y. Lai, J.-Q. Wang, C.J. O'Connor and T. Miyazaki, A self-consistent calculation of intrinsic magnetoelectric properties in magnetic tunnel junctions 167
Han, X.F., Z.G. Sun, H. Kato, M. Oogane, B.G. Shen, F.M. Yang and J.M.D. Coey, Magnetoresistance in $Ce_3Fe_{29-x}T_x$ (T = V and Cr) 204
Hanmin, J., see Sufen, Z. 25
Haseyama, M., see Takekuma, I. 359
Hashimoto, T., see Tsunoda, M. 182
Hasiak, M., M. Miglierini, Y. Yamashiro, W.H. Ciurzyńska and H. Fukunaga, Microstructure and magnetic properties of nanocrystalline Fe–Zr–B alloy 506
Hatafuku, H., Estimation of effective magnetic field in a nickel rod by the magnetoacoustic effect 94
Hayata, K., see Yamaguchi, M. 255
He, C., see Pei, W. 475
He, L., see Mei, L. 385
Herchenroeder, J.W., see Ma, B.M. 418
Hibma, T., see Huang, D.J. 261
Hikichi, S., see Takano, H. 60
Hikichi, S., see Takano, H. 518
Himi, K., see Yamaguchi, M. 255
Himi, K., see Sato, K. 351
Hirahara, S., see Takeuchi, J. 173
Hirosawa, S., H. Kanekiyo, Y. Shigemoto, K. Murakami, T. Miyoshi and Y. Shioya, Solidification and crystallization behaviors of $Fe_3B/Nd_2Fe_{14}B$-based nanocomposite permanent-magnet alloys and influence of micro-alloyed Cu, Nb and Zr 424
Ho, C.H., see Lee, Y.-J. 57
Ho, C.H., see Liao, C.C. 116
Ho, C.H., see Chang, Y.-M. 375
Ho, J.C., see Chang, H.W. 461
Hoffman, C.A., see Cho, S. 201
Hojo, A., see Oka, H. 617
Homma, M., see Sugimoto, S. 444
Honda, Z., see Yamada, K. 356
Hong, S.C., M.S. Chung, B.-G. Yoon and J.I. Lee, Structural properties and magnetism of Fe overlayers on GaAs(001) surface 39
Hong, S.C., see Rho, T.H. 285
Hong, T.-M., see Lee, Y.-J. 57
Hono, K., see Ping, D.H. 437
Horng, L., see Young, S.L. 11
Horng, L., see Young, S.L. 70
Hoshi, K., see Takano, H. 60
Hoshi, K., see Takano, H. 518
Houga, T., see Yamada, A. 272
Hsu, C.-Y., see Teng, M.-Y. 338
Hsu, C.H., see Tung, M.J. 402
Hsu, H.S., see Fu, C.M. 17
Hsu, L.-S., see Guo, G.Y. 91
Hsu, W.-C., see Lie, C.T. 160
Hsu, W.D., see Lin, J.G. 154
Hu, B., see Wang, Y. 316
Hu, H.L., see Yao, Y.D. 249
Hu, L.-J., see Tsay, C.-Y. 490
Hu, S.-B., see Yuan, Z.-M. 367
Hu, S.F., see Liu, R.S. 164
Huang, C.Y., see Liu, R.S. 164
Huang, C.Y., see Chiang, W.-C. 332
Huang, D.-R., see Ke, C.-Y. 604
Huang, D.J., C.F. Chang, J. Chen, L.H. Tjeng, A.D. Rata, W.P. Wu, S.C. Chung, H.J. Lin, T. Hibma and C.T. Chen, Spin-resolved photoemission studies of epitaxial $Fe_3O_4(100)$ thin films 261
Huang, G.R., see Chuang, T.M. 301
Huang, J.C.A., see Fu, C.M. 17
Huang, J.C.A., M.M. Chen, C.H. Lee, T.H. Wu, J.C. Wu and C.M. Fu, Pt thickness and buffer layer effects on the structure and magnetism of Co/Pt multilayers 326
Huang, M.-S., see Sheu, C.-S. 192
Huang, R.-S., see Ke, C.-Y. 604
Huang, R.-T., see Liao, C.C. 116
Huang, R.T., see Lai, C.-H. 390
Huang, S.M. and C.K. Sung, Analytical analysis of magnetic couplings with parallelepiped magnets 614
Huang, S.Y., see Chuang, T.M. 301
Hütten, A., see Luciński, T. 138
Hütten, A., see Urbaniak, M. 288
Huang, T.S., C.H. Chen and M.F. Tai, Crystal structures and scaling behaviors of $(La_{1-x}Pb_x)MnO_3$ and $La_{0.7}(Ba_{1-x}Pb_x)_{0.3}CoO_3$ systems with $x = 0-0.5$ 97
Hwang, C.C., S.M. Chang, C.T. Pan and T.Y. Chang, Estimation of parameters of interior permanent magnet synchronous motors 600
Hwang, C.S., see Chang, C.H. 363
Hwang, C.S., C.T. Chen, C.H. Chang, C.Y. Liu, F.Y. Lin, B. Wang and R. Wahrer, A novel superconducting octupole magnet for photon scattering experiments 586
Hwang, D.G., see Kim, C.G. 176
Hwang, J.Y., see Kim, M.Y. 210

Ihara, M., see Miyoshi, K. 63
Inomata, K., see Sugimoto, S. 444
Inoue, A., see Yoshida, H. 5
Isagawa, Y., see Kohmoto, O. 36
Ishida, K., see Oikawa, K. 409
Ishimoto, H., see Mitamura, H. 31
Ishio, S., T. Yoshino, H. Saito, T. Suzuki and K. Ohuchi, Giant magnetoresistive effect in $L1_0$ ordered FePt films 217
Ishiyama, T., see Otani, Y. 135

Jang, S.H., T. Kang, H.J. Kim and K.Y. Kim, The analysis of spin valve with the spin flop by a thickness difference in the synthetic antiferromagnet 179
Jang, S.H., see Kim, M.J. 195
Jang, Y.-R., see Kim, I.G. 33
Jao, Y., see Wang, Y. 316
Jeng, H.-T. and G.Y. Guo, First-principles investigations of the magnetocrystalline anisotropy in strained Co-substituted magnetite ($CoFe_2O_4$) 88
Jeon, D.M., J.H. Kim, Y.S. Kim, S.Y. Yoon, D.H. Lee, D.H. Yoon and S.J. Suh, The effect of controlled P1 and P2 in synthetic spin valve with Mn–Ir–Pt exchange biasing layer 207
Jeong, J.H., see Kim, K.H. 487
Jeong, J.H., see Kim, K.H. 579
Jian, M.R., see Chin, T.S. 468
Ju, J.-J., see Ke, C.-Y. 604
Jubert, P.-O., see Fruchart, O. 224
Justus, M., see Luciński, T. 138

Kagotani, T., see Sugimoto, S. 444
Kai, J.J., see Liao, C.C. 116
Kai, J.J., see Lai, C.-H. 390
Kamada, Y., see Nakatani, R. 231
Kamada, Y., see Kingetsu, T. 266
Kanak, J., T. Stobiecki, P. Wiśniowski, G. Gładyszewski, W. Maass and B. Szymański, XRD study of the structure of NiFe/Au and NiFe/Cu superlattices 329
Kanekiyo, H., see Hirosawa, S. 424
Kaneko, H., see Uchida, H. 540
Kaneko, T., see Yoshida, H. 5
Kaneko, T., see Matsumoto, M. 521
Kang, T., see Jang, S.H. 179
Kang, T., see Kim, M.J. 195
Kanomata, T., see Matsumoto, M. 521
Kao, P.C., see Fu, C.M. 17
Karaki, Y., see Mitamura, H. 31
Kasai, S., T. Niiyama, E. Saitoh and H. Miyajima, Galvanomagnetic effect of ferromagnetic nano-ring at low temperatures 228
Kashuba, A., see Acremann, Y. 346
Kato, H., see Han, X.F. 204
Kaul, A.R., see Gan'shina, E.A. 537
Kawagoe, T., Y. Suzuki and S. Yuasa, Observation of spin-polarized tunneling by scanning tunneling microscopy 126
Kawamura, Y., see Nakatani, R. 231

Ke, C.-Y., C.-L. Chang, J.-J. Ju, D.-R. Huang and R.-S. Huang, A magnetic design for a slim type DVD actuator 604
Ketterson, J.B., see Cho, S. 201
Kikuchi, T., see Yoshizawa, N. 198
Kim, C.-O., see Li, G. 51
Kim, C.-O., see Kim, C.G. 176
Kim, C.G., D.Y. Kim, D.G. Hwang, S.S. Lee and C.-O. Kim, Hysteretic rotational magnetization of pinned layer in NiO spin-valve 176
Kim, C.G., see Kim, D.Y. 185
Kim, C.G., see Lee, H.-S. 343
Kim, C.G., see Gan'shina, E.A. 484
Kim, C.G., see Yoon, S.S. 513
Kim, C.G., C.O. Kim, S.S. Yoon, H.C. Kim and S.J. Ahn, Asymmetric giant magnetoimpedance curve due to antiferromagnetic coupling 557
Kim, C.K., see Lee, S.S. 129
Kim, C.O., see Kim, D.Y. 185
Kim, C.O., see Cho, W.S. 304
Kim, C.O., see Gan'shina, E.A. 484
Kim, C.O., see Yoon, T.S. 509
Kim, C.O., see Yoon, S.S. 513
Kim, C.O., see Kim, C.G. 557
Kim, C.S., B.K. Min, S.Y. An and Y.R. Uhm, Mössbauer studies of $Y_3Fe_{4.75}Al_{0.25}O_{12}$ 54
Kim, C.S., see Lee, S.W. 76
Kim, C.S., see Kim, W.C. 82
Kim, C.S., see Kim, S.J. 100
Kim, C.S., see Lee, K.I. 120
Kim, C.S., see Shim, I.-B. 279
Kim, D.C., see Kim, I.G. 33
Kim, D.Y., see Kim, C.G. 176
Kim, D.Y., C.G. Kim, C.O. Kim, B.K. Min and J.S. Song, Change of GMR parameters in N-ion implanted spin-valve 185
Kim, H.-J., see Li, G. 51
Kim, H.-T., Y.B. Kim and W.S. Park, Magnetic contour of nano-composite Nd–Fe–B melt-spun alloys 430
Kim, H.-T., W.S. Park and Y.B. Kim, Temperature dependence on the magnetic properties of nanocrystalline Nd–Fe–B melt-spun alloys 441
Kim, H.C., see Kim, C.G. 557
Kim, H.J., see Jang, S.H. 179
Kim, H.J., see Kim, M.J. 195
Kim, H.J., see Kim, K.H. 487
Kim, H.J., see Kim, Y.M. 498
Kim, H.J., see Lim, S.H. 546
Kim, H.J., see Na, S.M. 570
Kim, H.J., see Kim, K.H. 579
Kim, I.G., J.I. Lee, Y.-R. Jang and D.C. Kim, Magnetism and electronic structures of $Ni/Cu_3Au(0\,0\,1)$ 33
Kim, J., see Kim, K.H. 487
Kim, J., see Kim, Y.M. 498
Kim, J., see Kim, K.H. 579
Kim, J.H., see Jeon, D.M. 207
Kim, J.H., see Cho, W.S. 304
Kim, J.K., see Kim, M.Y. 210
Kim, K.H., J.H. Jeong, J. Kim, S.H. Han and H.J. Kim, High moment and high frequency permeability Fe–B–N nanocrystalline soft magnetic films 487

Kim, K.H., see Kim, Y.M. 498
Kim, K.H., D.W. Yoo, J.H. Jeong, J. Kim, S.H. Han and H.J. Kim, Dual spiral sandwiched magnetic thin film inductor using Fe–Hf–N soft magnetic films as a magnetic core 579
Kim, K.S., C.E. Lee, S.H. Lim, H. Takano and K. Yoshida, Characteristics of bit pattern written by a planar-type head 399
Kim, K.S., S.C. Yu, H.B. Lee and Y.K. Kim, Magnetization behavior and magnetoimpedance effect in melt-spun $Fe_{75-x}Co_xZr_8Nb_2B_{15}$ ($x = 5, 10, 15$) alloys 560
Kim, K.Y., see Jang, S.H. 179
Kim, K.Y., see Kim, M.J. 195
Kim, M.J., H.J. Kim, K.Y. Kim, S.H. Jang and T. Kang, The annealing effect on GMR properties of PtMn-based spin valve 195
Kim, M.Y., S.S. Lee, J.R. Rhee, N.I. Lee, J.Y. Hwang and J.K. Kim, Comparison of magnetoresistance in spin valve films with Ni/Mn and Pt/Mn superlattice 210
Kim, S.G., see Otani, Y. 135
Kim, S.J., see Lee, S.W. 76
Kim, S.J., see Kim, W.C. 82
Kim, S.J., W.C. Kim, J.C. Sur and C.S. Kim, Magnetic and electron transport properties in $Co_{0.1}Fe_{0.9}Cr_2S_4$ 100
Kim, W.C., S.J. Kim and C.S. Kim, Mössbauer studies of superexchange interaction in $Ni_{0.5}Cu_{0.5}Fe_2O_4$ 82
Kim, W.C., see Kim, S.J. 100
Kim, Y., see Cho, S. 201
Kim, Y.B., see Kim, H.-T. 430
Kim, Y.B., see Kim, H.-T. 441
Kim, Y.K., see Kim, K.S. 560
Kim, Y.M., D. Choi, K.H. Kim, J. Kim, S.H. Han and H.J. Kim, Thickness effects on the high-frequency characteristics of as-deposited Co–Ni–Fe and Co–Ni–Fe–N soft magnetic thin films 498
Kim, Y.S., see Jeon, D.M. 207
Kimura, H.M., see Yoshida, H. 5
Kimura, T., see Saitoh, E. 170
Kingetsu, T., Y. Kamada and M. Yamamoto, Epitaxial growth and magnetic anisotropies of binary and ternary metallic strained superlattices 266
Kirilyuk, A., see Sato, K. 351
Kirschner, J., see Fruchart, O. 224
Kitakami, O., see Saito, T. 310
Kitakami, O., see Okamoto, S. 313
Kitakami, O., see Oikawa, K. 409
Klaua, M., see Fruchart, O. 224
Kochneva, M.Yu., see Gan'shina, E.A. 484
Kohmoto, O., N. Mineji, Y. Isagawa, F. Ono and O. Kubo, Perpendicular anisotropy of sputtered Ni films 36
Koike, N., see Sugimoto, S. 444
Koizumi, Y., see Chiba, M. 457
Komiyama, K., see Djayaprawira, D.D. 396
Kronmüller, H., see Tsai, J.-L. 450
Kuang, W.-L., see Ma, Y.-R. 371
Kubo, O., see Kohmoto, O. 36
Kubota, T., T. Okazaki, Y. Furuya and T. Watanabe, Large magnetostriction in rapid-solidified ferromagnetic shape memory Fe–Pd alloy 551
Kuo, C.C., W.C. Lin and M.-T. Lin, Anomalous temperature-driven magnetization switching in Co_xNi_{1-x}/Cu(100) binary alloy films 298
Kuo, P.C., see Lin, J.G. 154
Kuo, P.C., see Lie, C.T. 160
Kuo, W., see Chen, C.D. 141
Kwon, H.-W., Experimental study of Hopkinson effect in HDDR-treated $Nd_{15}Fe_{77}B_8$ and $Sm_2Fe_{17}N_x$ materials 447
Kwon, S.D., see Yoon, S.S. 513
Kwon, Y., see Rho, T.H. 285

Lachowicz, H.K., K. Závěta, M. Maryško and Z. Arnold, Influence of temperature and pressure on magnetic properties of granular Co–Cu system 307
Lai, C.-H., see Chen, W.-C. 319
Lai, C.-H., C.H. Yang, R.T. Huang, C.W. Chen, F.R. Chen, J.J. Kai and H. Niu, Effects of structure and ion irradiation on the exchange field of NiFe/NiMn 390
Lai, C.H., see Yang, J.-S. 28
Lai, J.H., see Chen, G.J. 415
Lai, M.-F., see Wei, Z.-H. 1
Lai, W.Y., see Han, X.F. 167
Lee, B.-W., see Shim, I.-B. 279
Lee, C.E., see Kim, K.S. 399
Lee, C.H., see Huang, J.C.A. 326
Lee, D.H., see Jeon, D.M. 207
Lee, H.-S., S.-B. Choe, S.-C. Shin and C.G. Kim, Characterization of magnetic properties in Co/Pd multilayers by Hall effect measurement 343
Lee, H.B., see Cho, W.S. 304
Lee, H.B., see Kim, K.S. 560
Lee, J.H., see Lee, K.I. 120
Lee, J.I., see Kim, I.G. 33
Lee, J.I., see Hong, S.C. 39
Lee, J.I., see Rho, T.H. 285
Lee, K.C., see Wu, S.Y. 14
Lee, K.C., see Yang, C.C. 79
Lee, K.I., J.H. Lee, W.Y. Lee, K.W. Rhie, J.G. Ha, C.S. Kim and K.H. Shin, Enhanced tunneling magnetoresistance and thermal stability of magnetic tunnel junction by rapid thermal anneal 120
Lee, M.D., see Chang, W.C. 433
Lee, M.D., see Chen, S.K. 453
Lee, M.D., see Chang, H.W. 461
Lee, N.I., see Kim, M.Y. 210
Lee, S.F., see Chen, C.D. 112
Lee, S.F., see Liang, J.-J. 213
Lee, S.F., see Tsai, J.L. 246
Lee, S.F., see Yao, Y.D. 249
Lee, S.F., see Chuang, T.M. 301
Lee, S.F., see Chen, W.-C. 319
Lee, S.F., see Yu, C.C. 323
Lee, S.S., S.X. Wang, C.M. Park, J.R. Rhee, C.S. Yoon, P.J. Chang and C.K. Kim, Junction area dependence of tunneling magnetoresistance 129
Lee, S.S., see Kim, C.G. 176
Lee, S.S., see Kim, M.Y. 210
Lee, S.W., S.Y. An, S.J. Kim and C.S. Kim, Crystallographic and Mössbauer studies of $CoFeCrO_4$ 76

Lee, W.Y., K.H. Shin, B.C. Choi and J.A.C. Bland, Magnetisation reversal dynamics in $Ni_{80}Fe_{20}$ thin films 103
Lee, W.Y., see Lee, K.I. 120
Lee, Y.-J., C.-R. Chang, T.-M. Hong, C.H. Ho and M.-T. Lin, Theoretical studies of oscillatory behavior for long-range exchange bias 57
Lee, Y.-W., see Li, G. 51
Lee, Y.W., see Cho, W.S. 304
Lee, Y.W., see Yoon, T.S. 509
Li, D., see Lu, Z. 502
Li, D., S. Zhou, Z. Lu, H. Zhang, W. Han, J. Li and Y. Wang, Influence of pulsed current on giant magneto-impedance effect in $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ amorphous wires 564
Li, D., see Han, W. 567
Li, G., Z. Xianyu, C.-O. Kim, H.-J. Kim and Y.-W. Lee, Spin freezing phenomenon and transport properties in $La_{1-3}Nd_{1-3}Ba_{1-3}MnO_3$ 51
Li, J., see Lu, Z. 502
Li, J., see Li, D. 564
Li, W.-H., see Wu, S.Y. 14
Li, W.-H., see Yang, C.C. 79
Li, Y., see Yoon, T.S. 509
Lian, F., see Pei, W. 475
Liang, J.-J., S.F. Lee, Y.D. Yao, C.C. Wu, S.G. Shyu and C. Yu, Magnetotransport study of granular chromium dioxide thin films prepared by the chemical vapor deposition technique 213
Liao, C.C., C.H. Ho, R.-T. Huang, F.-R. Chen, J.J. Kai, L.-C. Chen, M.-T. Lin and Y.D. Yao, Thermal stability study of the insulator layer in NiFe/CoFe/Al_2O_3/Co spin-dependent tunnel junction 116
Lie, C.T., P.C. Kuo, W.-C. Hsu, I.J. Chang and J.W. Chen, Effect of Zn doping on the magnetoresistance of sintered Fe_3O_4 ferrites 160
Lim, S.H., see Uhm, Y.R. 123
Lim, S.H., see Kim, K.S. 399
Lim, S.H., H.J. Kim, S.M. Na and S.J. Suh, Application-related properties of giant magnetostrictive thin films 546
Lim, S.H., see Na, S.M. 570
Lin, C.H., see Young, S.L. 70
Lin, F.Y., see Hwang, C.S. 586
Lin, H.J., see Huang, D.J. 261
Lin, I.-N., see Teng, M.-Y. 338
Lin, I.-N., see Tsay, C.-Y. 490
Lin, J.-Y., C.W. Chen, Y.C. Liu, S.J. Liu, K.H. Wu, Y.S. Gou and J.M. Chen, Anisotropic O 2p-Mn 3d unoccupied states in $La_{1-x}MnO_3$: an X-ray absorption spectroscopy study 48
Lin, J.C. and G.Y. Guo, A spin-density-functional study of quantum dots and rings 240
Lin, J.G., S.Y. Tang, W.D. Hsu and P.C. Kuo, Tunneling magnetoresistance and electron spin resonance study on Co–Al–O granular films 154
Lin, J.G., see Liu, R.S. 164
Lin, J.G., see Chiang, W.-C. 332
Lin, M.-T., see Lee, Y.-J. 57
Lin, M.-T., see Liao, C.C. 116
Lin, M.-T., see Kuo, C.C. 298
Lin, M.-T., see Chang, Y.-M. 375
Lin, M.C., see Chang, L.H. 591
Lin, S.-K., see Wang, S.-J. 607
Lin, W.C., see Kuo, C.C. 298
Liou, Y., see Yu, C.C. 323
Liou, Y., see Ma, Y.-R. 371
Liu, B., see Yuan, Z.-M. 367
Liu, B., Y. Man and W. Zhang, Slider-disk interaction and tribologically induced signal decay 378
Liu, C.-J., see Sheu, C.-S. 192
Liu, C.-Y., see Tsay, C.-Y. 490
Liu, C.Y., see Hwang, C.S. 586
Liu, F., see Tong, H.-C. 106
Liu, K.-S., see Teng, M.-Y. 338
Liu, K.-S., see Tsay, C.-Y. 490
Liu, R.S., T.S. Chan, S.F. Hu, J.G. Lin and C.Y. Huang, Crystal structure and magnetic properties of the double perovskite $(Sr_{2-x}Ca_x)FeMoO_6$ $(0 \leqslant x \leqslant 1.0)$ 164
Liu, S.J., see Lin, J.-Y. 48
Liu, Y.C., see Lin, J.-Y. 48
Lohau, J., see Wassermann, E.F. 220
Lu, Z., D. Li and J. Li, Effect of B on the preparation and structure of nanocrystalline Fe–B alloys 502
Lu, Z., see Li, D. 564
Lu, Z., see Han, W. 567
Luciński, T., H. Brückl, M. Justus, A. Hütten and G. Reiss, Combination of antiferromagnetically coupled Co/Cu/Co trilayers and magnetic tunnel junctions 138
Luciński, T., see Stobiecki, F. 276
Luciński, T., see Urbaniak, M. 288
Luo, G.H., see Chang, C.H. 363
Luo, G.H., see Chang, L.H. 591
Lynn, J.W., see Wu, S.Y. 14

Ma, B.M., J.W. Herchenroeder, B. Smith, M. Suda, D.N. Brown and Z. Chen, Recent development in bonded NdFeB magnets 418
Ma, B.M., see Chang, W.C. 433
Ma, Y.-R., C.-H. Chueh, W.-L. Kuang, Y. Liou and Y.-D. Yao, Magnetic force microscopy study of $La_{0.7}Sr_{0.3}MnO_3$/Si(001) around its Curie temperature 371
Maass, W., see Kanak, J. 329
Maeda, J., see Takano, H. 60
Maeda, Y., see Nozaki, Y. 157
Man, Y., see Liu, B. 378
Manago, T., see Mizuguchi, M. 269
Maryško, M., see Lachowicz, H.K. 307
Masuda, T., see Yamada, K. 356
Masutomi, R., see Mitamura, H. 31
Matsumoto, M., M. Ebisuya, T. Kanomata, R. Note, H. Yoshida and T. Kaneko, Magnetic properties of Heusler type $Ni_{2+x}Mn_{1-x}Ga$ 521
Matsumura, Y., see Uchida, H. 540
Matsuyama, K., see Nozaki, Y. 157
Matsuyama, K., see Nozaki, Y. 237
Mei, L., D. Wachenschwanz, B. Bian, G. Bertero, L. He and C. Chen, The relationship between thermal decay rate, thermal stability factor K_uV/K_BT and

grain size distribution in thin film magnetic recording media 385
Meyer, C., see Fruchart, O. 224
Meyer, J.R., see Cho, S. 201
Michalke, T., D.D. Djayaprawira, M. Tsunoda and M. Takahashi, Computational study in synthetic ferrimagnetic coupled media 22
Michalke, T., see Djayaprawira, D.D. 396
Miglierini, M., see Hasiak, M. 506
Min, B.K., see Kim, C.S. 54
Min, B.K., see Kim, D.Y. 185
Mineji, N., see Kohmoto, O. 36
Minh, P.T.L., N.P. Thuy, N.D. Van and N.T.N. Chan, Structure and magnetic properties of thin FePt alloy films 335
Misumi, T., see Nozaki, Y. 237
Mitamura, H., Y. Karaki, R. Masutomi, N. Takeshita, A. Yamaguchi, Y. Uwatoko, T. Goto, H. Ishimoto and N. Môri, Electrical resistivity of intermetallic compound $PrInAg_2$ at ultra low temperatures 31
Miura, S., see Takahashi, D. 282
Miyajima, H., see Kasai, S. 228
Miyajima, H., see Shimizu, M. 243
Miyanaga, T., see Okazaki, T. 189
Miyazaki, T., see Mizukami, S. 42
Miyazaki, T., see Han, X.F. 167
Miyoshi, K., M. Ihara, K. Fujiwara and J. Takeuchi, Specific heat and DC magnetization measurements of $Li(V_{1-x}Cr_x)_2O_4$ 63
Miyoshi, K., see Takeuchi, J. 173
Miyoshi, T., see Hirosawa, S. 424
Mizuguchi, M., H. Akinaga, T. Manago, K. Ono, M. Oshima and M. Shirai, Epitaxial growth of new half-metallic ferromagnet "zinc-blende CrAs" and the substrate temperature dependence 269
Mizukami, S., Y. Ando and T. Miyazaki, Magnetic relaxation of normal-metal (NM)/80NiFe/NM films 42
Mizumaki, M., see Yoshii, K. 85
Môri, N., see Mitamura, H. 31
Mori, N., see Takano, H. 518
Morio, K., see Chiba, M. 457
Mukasa, K., see Takekuma, I. 359
Murai, H., see Sugimoto, S. 444
Murakami, K., see Hirosawa, S. 424
Murayama, S., see Takano, H. 60
Murayama, S., see Takano, H. 518
Muro, T., see Yoshii, K. 85

Na, S.M., see Lim, S.H. 546
Na, S.M., S.J. Suh, H.J. Kim and S.H. Lim, Residual stress change by thermal annealing in amorphous Sm–Fe–B thin films 570
Nakamura, A., see Yoshii, K. 85
Nakamura, H., see Sugimoto, S. 444
Nakane, H., see Yoshizawa, N. 198
Nakatani, R., M. Yamamoto, H. Yakame, Y. Kamada and Y. Kawamura, Uniaxial magnetic anisotropy of Ni–Fe films exchange-coupled with Fe dot-arrays 231
Negishi, T., see Yoshizawa, N. 198
Niiyama, T., see Kasai, S. 228
Nishikawa, K., see Tsunoda, M. 182
Niu, H., see Lai, C.-H. 390
Note, R., see Matsumoto, M. 521
Novosad, V., K.Yu. Guslienko, Y. Otani, H. Shima and K. Fukamichi, Magnetostatic interdot coupling in arrays of circular ferromagnetic dots 234
Nozaki, Y., Y. Maeda and K. Matsuyama, Spin-dependent CPP transport properties of semiconductive-oxide/ferromagnet multilayers 157
Nozaki, Y., T. Misumi and K. Matsuyama, Sub-micron scale relief structures of GMR materials fabricated by half-milling control 237

O'Connor, C.J., see Han, X.F. 167
Obara, G., H. Yamamoto, M. Tani and M. Tokita, Magnetic properties of spark plasma sintering magnets using fine powders prepared by mechanical compounding method 464
Ogano, T., see Yamada, K. 356
Ohta, M., see Yamada, K. 412
Ohta, M., A. Fujita and K. Fukamichi, Spin fluctuations in $Y_6(Mn_{1-x}M_x)_{23}$(M = Al,Fe) systems 527
Ohuchi, K., see Ishio, S. 217
Oikawa, K., G.-W. Qin, O. Kitakami, Y. Shimada, K. Fukamichi and K. Ishida, Magnetically induced two-phase separation in Co–Ge and Co–Si systems 409
Oka, H., see Osada, H. 576
Oka, H., A. Hojo, K. Seki and T. Takashiba, Wood construction and magnetic characteristics of impregnated type magnetic wood 617
Okada, M., see Sugimoto, S. 444
Okamoto, S., O. Kitakami and Y. Shimada, Enhancement of magnetic anisotropy of hydrogenated Pd/Co/Pd trilayers 313
Okazaki, T., T. Miyanaga, K. Sawaguchi, Y. Sakisaka and S. Sugimoto, GMR in inhomogeneous Ni–Mn alloys of nano-scale 189
Okazaki, T., see Kubota, T. 551
Olafsen, L.J., see Cho, S. 201
Ono, F., see Kohmoto, O. 36
Ono, K., see Mizuguchi, M. 269
Oogane, M., see Han, X.F. 204
Osada, H., S. Chiba, H. Oka and K. Seki, Human action pattern monitor for telecare system utilizing magnetic thin film infrared sensor 576
Osawa, O., see Takano, H. 518
Oshima, M., see Mizuguchi, M. 269
Otani, Y., T. Ishiyama, S.G. Kim, K. Fukamichi, M. Giroud and B. Pannetier, Spin dependent Hall effect in Co/Al junctions with small contact area 135
Otani, Y., see Novosad, V. 234
Otani, Y., see Shimizu, M. 243

Pan, C.-T., see Shen, S.-C. 610
Pan, C.T., see Hwang, C.C. 600
Pan, W., see Chang, Y.-M. 375
Pannetier, B., see Otani, Y. 135
Park, C.M., see Lee, S.S. 129
Park, W.S., see Kim, H.-T. 430
Park, W.S., see Kim, H.-T. 441

Pei, W., C. He, F. Lian, G. Zhou and H. Yang, Structures and magnetic properties of sintered Nd–Fe–B magnets produced by strip casting technique 475
Perov, N.S., see Gan'shina, E.A. 484
Pescia, D., see Acremann, Y. 346
Piercy, A.R., see Guo, Z.J. 554
Ping, D.H., Y.Q. Wu and K. Hono, Microstructure and magnetic properties of microalloyed α-Fe/$Nd_2Fe_{14}B$ nanocomposites 437

Qian, C., see Tong, H.-C. 106
Qin, G.-W., see Oikawa, K. 409

Rasing, T., see Sato, K. 351
Rata, A.D., see Huang, D.J. 261
Reiss, G., see Luciński, T. 138
Reiss, G., see Urbaniak, M. 288
Rhee, J.R., see Lee, S.S. 129
Rhee, J.R., see Kim, M.Y. 210
Rhie, K.W., see Lee, K.I. 120
Rho, T.H., Y. Kwon, S.C. Hong and J.I. Lee, Electronic and magnetic properties of an ordered surface alloy: 2(MnPd)/Pd(0 0 1) 285
Rodin, I.K., see Gan'shina, E.A. 537
Röll, K., see Stobiecki, F. 276

Saito, H., see Ishio, S. 217
Saito, T., O. Kitakami and Y. Shimada, Grain growth and $L1_0$ ordering in FePt–SiO_2 granular films 310
Saitoh, E., Y. Tomioka, T. Kimura and Y. Tokura, Role of orbital correlation in colossal magnetoresistance 170
Saitoh, E., see Kasai, S. 228
Saitoh, E., see Shimizu, M. 243
Sakisaka, Y., see Okazaki, T. 189
Sakuma, A., see Umetsu, R.Y. 530
Sato, K., see Yamaguchi, M. 255
Sato, K., K. Takanashi, K. Himi, A. Kirilyuk and T. Rasing, Magnetically induced second harmonic generation (MSHG) as a tool for the studies of surface magnetism 351
Sawaguchi, K., see Okazaki, T. 189
Schäfer, R., see Chang, Y.-M. 375
Schneider, C.M., see Chang, Y.-M. 375
Seki, K., see Osada, H. 576
Seki, K., see Oka, H. 617
Shalyguina, E.E., K.-H. Shin and N.M. Abrosimova, Size dependence of magnetic properties of permalloy microstripe arrays 252
Shen, B., see Wang, Y. 316
Shen, B.G., see Han, X.F. 204
Shen, S.-C., C.-T. Pan and H.-P. Chou, Electromagnetic optical switch for optical network communication 610
Shern, C.S., see Wu, Y.E. 291
Sheu, C.-S., M.-S. Huang, T.-W. Wu and C.-J. Liu, Magnetoresistance and magnetothermopower of nitrogen-annealed $RE_{1.2}Sr_{1.8}Mn_2O_{7+\delta}$ (RE = Nd, Pr) 192
Sheverdyaeva, P.M., see Gan'shina, E.A. 484
Shi, J.B., Y.Y. Fan, M.F. Tai, H.Z. Chen and S.L. Young, Magnetic behavior in the $La_{0.7}Pb_{0.3}Mn_{1-x}Co_xO_3$ perovskite compounds 8
Shi, J.B., see Young, S.L. 11
Shi, J.B., see Young, S.L. 70
Shi, X., see Tong, H.-C. 106
Shigemoto, Y., see Hirosawa, S. 424
Shih, J.C., see Chin, T.S. 468
Shim, I.-B., B.-W. Lee and C.S. Kim, Influence of the indium oxide addition on low field magnetoresistance behavior in the $La_{2/3}Sr_{1/3}MnO_3$ granular composite thin films 279
Shim, I.-B., see Sohn, S.-B. 533
Shima, H., see Novosad, V. 234
Shima, T., see Yoshida, H. 5
Shima, T., K. Takanashi and H. Fujimori, Exchange-coupled magnetostrictive behavior in Tb–Fe/Fe multilayer films 573
Shimada, Y., see Yoshizawa, N. 198
Shimada, Y., see Saito, T. 310
Shimada, Y., see Okamoto, S. 313
Shimada, Y., see Oikawa, K. 409
Shimizu, M., E. Saitoh, H. Miyajima and Y. Otani, Conductance quantization in ferromagnetic Ni nano-constriction 243
Shin, K.-H., see Shalyguina, E.E. 252
Shin, K.H., see Lee, W.Y. 103
Shin, K.H., see Lee, K.I. 120
Shin, S.-C., see Lee, H.-S. 343
Shioya, Y., see Hirosawa, S. 424
Shirai, M., see Mizuguchi, M. 269
Shoji, H., see Takahashi, M. 479
Shyu, J.H., see Chen, C.D. 141
Shyu, S.G., see Liang, J.-J. 213
Ślusarek, B. and I. Dudzikowski, Application of permanent magnets made from NdFeB powder and from mixtures of powders in DC motors 597
Smith, B., see Ma, B.M. 418
Sohn, S.-B., S.-Y. Choi and I.-B. Shim, Preparation of Ba-ferrite containing glass-ceramics in BaO–Fe_2O_3–SiO_2 533
Song, J.S., see Kim, D.Y. 185
Stobiecki, F., B. Szymański, T. Luciński, J. Dubowik and K. Röll, Magnetic properties of Ni–Fe/Au/Co/Au multilayers 276
Stobiecki, F., see Urbaniak, M. 288
Stobiecki, T., see Kanak, J. 329
Stoev, K., see Tong, H.-C. 106
Su, C.W., see Wu, Y.E. 291
Suda, M., see Ma, B.M. 418
Sueoka, K., see Takekuma, I. 359
Sufen, Z., J. Hanmin, W. Xuefeng and Y. Yu, Magnetization reversal process for $Nd_2Fe_{14}B$ crystal covered by an α-Fe surface layer 25
Sugimoto, S., see Okazaki, T. 189
Sugimoto, S., H. Murai, N. Koike, H. Nakamura, D. Book, N. Tezuka, T. Kagotani, M. Okada, M. Homma and K. Inomata, Improvement of coercivity of anisotropic Nd–Fe–B HDDR powders by Ga addition 444
Suh, S.J., see Jeon, D.M. 207
Suh, S.J., see Lim, S.H. 546
Suh, S.J., see Na, S.M. 570
Sun, Z.G., see Han, X.F. 204

Sunaga, K., see Takahashi, M. 479
Sung, C.K., see Huang, S.M. 614
Sur, J.C., see Kim, S.J. 100
Suzuki, T., see Yoshida, H. 5
Suzuki, T., see Ishio, S. 217
Suzuki, Y., see Kawagoe, T. 126
Szymański, B., see Stobiecki, F. 276
Szymański, B., see Kanak, J. 329

Tai, M.F., see Shi, J.B. 8
Tai, M.F., see Huang, T.S. 97
Takahashi, D., S. Miura, M. Tsunoda and M. Takahashi, Enhanced lateral grain growth and enlarged giant magnetoresistance in Co/Cu multilayer by Fe–Si buffer layer 282
Takahashi, M., see Michalke, T. 22
Takahashi, M., see Tsunoda, M. 149
Takahashi, M., see Tsunoda, M. 182
Takahashi, M., see Takahashi, D. 282
Takahashi, M., see Djayaprawira, D.D. 396
Takahashi, M., see Domon, H. 406
Takahashi, M., Y. Takahashi, K. Sunaga and H. Shoji, New soft magnetic material of α'-Fe–C with high B_s 479
Takahashi, T., see Yoshida, H. 5
Takahashi, Y., see Takahashi, M. 479
Takakura, W., see Ueda, Y. 45
Takanashi, K., see Yamaguchi, M. 255
Takanashi, K., see Sato, K. 351
Takanashi, K., see Shima, T. 573
Takanashi, M., see Yamada, K. 356
Takano, H., S. Hikichi, J. Maeda, S. Murayama and K. Hoshi, Thermal expansion and specific heat of mechanically milled FCC $Fe_{72}Pt_{28}$ 60
Takano, H., see Kim, K.S. 399
Takano, H., S. Hikichi, S. Murayama, K. Hoshi, K. Yano, H. Yashiro, O. Osawa and N. Mori, Magnetic properties of concentrated melt-spun Fe–Y amorphous alloys 518
Takashiba, T., see Oka, H. 617
Takekuma, I., M. Haseyama, K. Sueoka and K. Mukasa, Two-dimensional analysis of magnetic microstructures in the DC-demagnetized state and magnetization fluctuations in the transition region using MFM images 359
Takeshita, N., see Mitamura, H. 31
Takeuchi, J., see Miyoshi, K. 63
Takeuchi, J., T.P. Dhakal, S. Hirahara and K. Miyoshi, Magnetic and electron transport properties of Cr-doped (Nd, Sr)MnO_3 single crystals 173
Tang, S.Y., see Lin, J.G. 154
Tani, M., see Obara, G. 464
Teng, M.-Y., C.-Y. Hsu, K.-S. Liu and I.-N. Lin, Effect of Si dielectric materials on the magnetic coupling of Tb–Fe–Co multilayer thin films 338
Tezuka, N., see Sugimoto, S. 444
Thuy, N.P., see Minh, P.T.L. 335
Tjeng, L.H., see Huang, D.J. 261
Tokita, M., see Obara, G. 464
Tokura, Y., see Saitoh, E. 170
Tomioka, Y., see Saitoh, E. 170
Tong, H.-C., F. Liu, K. Stoev, Y. Chen, X. Shi and C. Qian, The dual spin valve head for high density recording 106
Tsai, J.-L., Y.-D. Yao, T.-S. Chin and H. Kronmüller, Spacer layer effect and microstructure on multi-layer $[NdFeB/Nb]_n$ films 450
Tsai, J.L., S.F. Lee, Y.D. Yao and C. Yu, Temperature dependence of the magnetoresistance in a zigzag ultrathin permalloy wire 246
Tsai, J.L., see Chin, T.S. 468
Tsai, M.S., see Fu, C.M. 17
Tsay, C.-Y., C.-Y. Liu, K.-S. Liu, I.-N. Lin, L.-J. Hu and T.-S. Yeh, Low temperature sintering of microwave magnetic garnet materials 490
Tsay, J.S., Y.D. Yao, T.K. Tseng and C.S. Yang, Magnetic studies of ultrathin cobalt layers on a Ge(100) surface 294
Tseng, T.K., see Tsay, J.S. 294
Tseng, T.Y., see Tung, M.J. 402
Tsunoda, M. and M. Takahashi, Exchange anisotropy of ferromagnetic/antiferromagnetic bilayers: intrinsic magnetic anisotropy of antiferromagnetic layer and single spin ensemble model 149
Tsunoda, M., see Michalke, T. 22
Tsunoda, M., K. Nishikawa, T. Damm, T. Hashimoto and M. Takahashi, Extra large unidirectional anisotropy constant of Co–Fe/Mn–Ir bilayers with ultrathin antiferromagnetic layer 182
Tsunoda, M., see Takahashi, D. 282
Tung, M.J., R. Chen, C.H. Hsu and T.Y. Tseng, A model of non-homogeneous damped electromagnetic wave and heat equation in ferrite materials 402

Uchida, H., Y. Matsumura, H. Uchida and H. Kaneko, Progress in thin films of giant magnetostrictive alloys 540
Uchida, H., see Uchida, H. 540
Ueda, Y., W. Takakura and A. Yamada, Electrical resistivity and magnetism of Fe/Si multilayers prepared by oblique incidence evaporation 45
Ueda, Y., see Yamada, A. 272
Uhm, Y.R. and S.H. Lim, Computer simulation of switching characteristics in magnetic tunnel junctions exchange-biased by synthetic antiferromagnets 123
Uhm, Y.R., see Kim, C.S. 54
Umetsu, R.Y., K. Fukamichi and A. Sakuma, Electrical and calorimetric evidences of a pseudo-gap in antiferromagnetic equiatomic MnPd alloy 530
Urbaniak, M., T. Luciński, F. Stobiecki, A. Hütten and G. Reiss, High room temperature sensitivity of magnetoresistance in NiFe/CuAgAu/Co/CuAgAu multilayers 288
Usov, N.A., see Wei, Z.-H. 1
Uwatoko, Y., see Mitamura, H. 31

Van, N.D., see Minh, P.T.L. 335
Vurgaftman, I., see Cho, S. 201

Wachenschwanz, D., see Mei, L. 385
Wahrer, R., see Hwang, C.S. 586
Wang, B., see Hwang, C.S. 586
Wang, B.W., see Guo, Z.J. 554

Wang, C.R., Y.Y. Chen, Y.D. Yao, C.L. Chang, Y.S. Weng and C.Y. Wang, Magnetic properties in $CeCo_2$ nanoparticles 524
Wang, C.Y., see Wang, C.R. 524
Wang, Ch., see Chang, C.H. 363
Wang, Ch., Infrared radiation from the insertion device in an electron storage ring 582
Wang, Ch., see Chang, L.H. 591
Wang, J.-Q., see Han, X.F. 167
Wang, S.-J. and S.-K. Lin, Analytical prediction of the cogging torque and torque constant of a hybrid stepping motor 607
Wang, S.X., see Lee, S.S. 129
Wang, Y., M. Zhang, Y. Jao, Y. Wang, B. Shen and B. Hu, Study of magnetic properties for isotropic nanostructured iron-rich Fe–Pt films 316
Wang, Y., see Wang, Y. 316
Wang, Y., see Li, D. 564
Wang, Y.K., see Guo, G.Y. 91
Wang, Y.L., see Guo, G.Y. 66
Wassermann, E.F., Chr. Bürgel, A. Carl and J. Lohau, Magnetization measurements on the nanometer-scale 220
Watanabe, T., see Kubota, T. 551
Wei, Z.-H., C.-R. Chang, N.A. Usov, M.-F. Lai and J.C. Wu, Evolution of vortex states under external magnetic field 1
Wen, J.F., see Chang, W.C. 433
Weng, Y.S., see Wang, C.R. 524
Wiśniowski, P., see Kanak, J. 329
Wong, G.K.L., see Cho, S. 201
Wu, C.C., see Liang, J.-J. 213
Wu, C.S., see Chen, C.D. 141
Wu, J.C., see Wei, Z.-H. 1
Wu, J.C., see Huang, J.C.A. 326
Wu, K.H., see Lin, J.-Y. 48
Wu, S.Y., C.C. Yang, W.-H. Li, K.C. Lee, J.W. Lynn and H.D. Yang, Mn ordering and induced Ce ordering in $La_{0.7}(Ce_{0.5}Ca_{0.5})_{0.3}MnO_3$ 14
Wu, S.Y., see Yang, C.C. 79
Wu, T.-W., see Sheu, C.-S. 192
Wu, T.C., see Young, S.L. 11
Wu, T.H., see Huang, J.C.A. 326
Wu, W.P., see Huang, D.J. 261
Wu, Y.E., C.W. Su, F.C. Chen, C.S. Shern and R.H. Chen, Capping effect in magnetic properties of Ag ultra-thin films on Co/Pt(1 1 1) 291
Wu, Y.Q., see Ping, D.H. 437

Xianyu, Z., see Li, G. 51
Xuefeng, W., see Sufen, Z. 25

Yakame, H., see Nakatani, R. 231
Yamada, A., see Ueda, Y. 45
Yamada, A., T. Houga and Y. Ueda, Magnetism and magnetoresistance of Co/Cu multilayer films produced by pulse control electrodeposition method 272
Yamada, K., M. Takanashi, T. Ogano, Z. Honda, N. Fukuda, T. Masuda and H. Hagiwara, The new approach to the nondestructive evaluation of iron based material by observation of thickness deformations 356
Yamada, K., A. Fujita, M. Ohta and K. Fukamichi, Disappearance of perpendicular magnetic anisotropy in amorphous Tb–Fe alloys 412
Yamaguchi, A., see Mitamura, H. 31
Yamaguchi, M., K. Takanashi, K. Himi, K. Hayata, K. Sato and H. Fujimori, Magneto-optical Kerr effects in metallic superlattices fabricated by monatomic layer control—comparison between experiments and first-principles calculations 255
Yamamoto, H., see Obara, G. 464
Yamamoto, M., see Nakatani, R. 231
Yamamoto, M., see Kingetsu, T. 266
Yamashiro, Y., see Hasiak, M. 506
Yang, C.C., see Wu, S.Y. 14
Yang, C.C., S.Y. Wu, W.-H. Li, K.C. Lee and H.D. Yang, Magnetic order and spin-glass behavior in $(Sm_{0.58}Y_{0.42})_2CuO_4$ 79
Yang, C.H., see Lai, C.-H. 390
Yang, C.S., see Tsay, J.S. 294
Yang, F.M., see Han, X.F. 204
Yang, H., see Pei, W. 475
Yang, H.D., see Wu, S.Y. 14
Yang, H.D., see Yang, C.C. 79
Yang, J.-S. and C.-R. Chang, Magnetic relaxation in chain-of-spheres ferromagnetic particles 73
Yang, J.-S., C.-R. Chang and C.H. Lai, Origin of the double shifted hysteresis loops in thin ferromagnetic films with bias fields 28
Yano, K., see Takano, H. 518
Yao, Y.-D., see Ma, Y.-R. 371
Yao, Y.-D., see Tsai, J.-L. 450
Yao, Y.D., see Chen, C.D. 112
Yao, Y.D., see Liao, C.C. 116
Yao, Y.D., see Liang, J.-J. 213
Yao, Y.D., see Tsai, J.L. 246
Yao, Y.D., Y.Y. Chen, S.F. Lee, W.C. Chang and H.L. Hu, Magnetic and thermal studies of nano-size Co and Fe particles 249
Yao, Y.D., see Tsay, J.S. 294
Yao, Y.D., see Chuang, T.M. 301
Yao, Y.D., see Chen, W.-C. 319
Yao, Y.D., see Yu, C.C. 323
Yao, Y.D., see Chang, Y.-M. 375
Yao, Y.D., see Wang, C.R. 524
Yashiro, H., see Takano, H. 518
Yeh, T.-S., see Tsay, C.-Y. 490
Yoo, D.W., see Kim, K.H. 579
Yoon, B.-G., see Hong, S.C. 39
Yoon, C.S., see Lee, S.S. 129
Yoon, D.H., see Jeon, D.M. 207
Yoon, S.S., S.D. Kwon, C.G. Kim and C.O. Kim Effect of ion-implantation on magnetization processes of 3% SiFe determined by susceptibility spectrum 513
Yoon, S.S., see Kim, C.G. 557
Yoon, S.Y., see Jeon, D.M. 207
Yoon, T.S., see Cho, W.S. 304
Yoon, T.S., Y. Li, W.S. Cho, Y.W. Lee and C.O. Kim, Effects of composition on the soft magnetic proper-

ties and microstructures of as-deposited Fe–Sm–O thin films 509
Yoshida, H., T. Shima, T. Takahashi, T. Kaneko, T. Suzuki, H.M. Kimura, K. Asami and A. Inoue, Magnetic properties of NiBi 5
Yoshida, H., see Matsumoto, M. 521
Yoshida, K., see Kim, K.S. 399
Yoshii, K., A. Nakamura, H. Abe, M. Mizumaki and T. Muro, Magnetism and transport of $Ln_{0.5}Sr_{0.5}CoO_3$ (Ln = Pr, Nd, Sm, Eu and Gd) 85
Yoshimura, S., see Djayaprawira, D.D. 396
Yoshino, T., see Ishio, S. 217
Yoshizawa, N., H. Nakane, T. Negishi, Y. Shimada, T. Kikuchi and K. Arai, Spatial resolution measurement of giant magneto-resistance thin film 198
Young, S.L., see Shi, J.B. 8
Young, S.L., Y.C. Chen, L. Horng, T.C. Wu, C.C. Chang, H.Z. Chen and J.B. Shi, Structure characterization and magnetic properties of $Ln_{0.7}Pb_{0.3}MnO_3$ (Ln = La, Nd, and Pr) manganites 11
Young, S.L., H.Z. Chen, C.H. Lin, L. Horng, J.B. Shi and Y.C. Chen, Magnetization processes in polycrystalline $(La_{0.7-x}Nd_x)Pb_{0.3}MnO_3$ 70
Yu, C., see Liang, J.-J. 213
Yu, C., see Tsai, J.L. 246
Yu, C.C., see Fu, C.M. 17
Yu, C.C., W.C. Cheng, D.C. Chen, Y.D. Yao, Y. Liou and S.F. Lee, Crystal structure and magnetic properties of FCC Co films on YSZ(0 0 1) substrates 323
Yu, S.C., see Kim, K.S. 560
Yu, Y., see Sufen, Z. 25
Yuan, F.T., see Chen, S.K. 471
Yuan, Z.-M., B. Liu, W. Zhang and S.-B. Hu, Engineering study of triple-harmonic method for in situ characterization of head–disk spacing 367
Yuasa, S., see Kawagoe, T. 126

Závěta, K., see Lachowicz, H.K. 307
Zeng, G., see Ba, Q. 495
Zeng, H., see Ba, Q. 495
Zhang, H., see Li, D. 564
Zhang, H., see Han, W. 567
Zhang, M., see Wang, Y. 316
Zhang, W., see Yuan, Z.-M. 367
Zhang, W., see Liu, B. 378
Zhang, X., see Chang, H.W. 461
Zhang, Z.D., see Guo, Z.J. 554
Zhou, G., see Pei, W. 475
Zhou, S., see Li, D. 564
Zhou, S., see Han, W. 567
Zhou, S., see Chen, F. 595

ELSEVIER

Journal of Magnetism and Magnetic Materials 239 (2002) 631–634

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 239

AC susceptibility 8
Actuator 604
Addition energy 240
Alloy effect 453
Alloy film 415
Alloys 298, 335, 495
Amorphous 484, 557
Amorphous alloys 412, 567, 595
Amorphous wire 564
Anisotropy 332, 444
Annealing 484
Annealing effect 453
Anti-invar behavior 527
Antiferromagnetic 530
Antiferromagnetic coupling 22, 319, 396, 557
Antiferromagnetic order 79
Antiferromagnetic phase 210
Application-related properties 546
Applied magnetics 617
Asymmetric curve 304
Atomic force microscopy 269
Atomic step 224

Ba-ferrite 533
Band structure 530
Bias-field 28, 557
Binomial distribution 76
Bismuth 201
Bismuth Yttrium garnet 490
Blocking temperature 182
Bonded magnets 418
Break-junction 243
Buffer layer 282, 319
Bulk micromachining 610

Ca–V garnet 490
CD 604
Chain of spheres 73
Charge ordering 173
Chromium dioxide 213
Circular polarization 363
CMR 48
CMR compounds 14
CMR effect 51
Coalescence 310
Cobalt 85, 294, 323
Cobaltates 97
Coercive force 36, 479
Coercivity 291, 371, 444, 450, 461, 506
Cogging torque 607
Coherent rotation 28
Colossal magnetoresistance 8, 170, 173
Complex impedance 279
Composite sheets 595
Composites 554
Compound wood 617
Computer simulation 123
Conductance quantization 243
Contamination control 378
Core losses 506
Corrosion properties 546
CPP transport 157
Critical magnetic field of superconductivity 112
Crossed undulator 363
Crystallization 424
Curie temperature 5, 371
Current sheet model 614

DC annealing 564
DC magnetization 8
DC motor 597
DC/DC converter 579
DDM 185
Dielectromagnets 597
Differential magnetic susceptibility 518
Dipolar interactions 57
Disorder–order transformation 471
Domain pattern 371
Domain structure 471
Domain wall resistivity 246
Domain-wall scattering 204
Doping effects 173
Double perovskite 164
DSSV head 106
DVD 604
Dynamic Jahn–Teller effect 100
Dynamic magnetic properties 554
Dynamic scaling relation 103

Edge radiation 582
Effective exchange field 207
Effective field 94
Electrical resistivity 45, 530
Electrodeposition 272
Electromagnetic optical switch 610
Electron spin resonance 154
Electronic specific heat coefficient 530
Electronic structures 33, 88, 261
Electropulsing annealing 564
Energy product 430, 471
Epitaxial growth 224
EXAFS 518
Exchange anisotropy 149
Exchange bias 57, 149, 182, 375
Exchange coupling 138, 231, 304, 316, 430, 441, 471, 573
Exchange coupling energy 182
Exchange coupling field 210
Exchange coupling–RKKY 57
Exchange field 390
Exchange interaction 560
Exchange spring interaction 335
Excimer laser ablation 610
Explicit finite difference method 402
Extraordinary Hall effect 135

Fanning 73
FC 11, 70
Fe dot-array 231
FEM 607
Ferrimagnetic thin film 576
Ferrite core 198
Ferrites 76, 88
Ferromagnet 5
Ferromagnetic materials 243
Ferromagnetic resonance 36, 42, 346
Ferromagnetism 85, 249
Finite element analysis 600
First-principles calculations 39, 255, 285
FMR 332
Frustration 63

Ga addition 444
Galvanomagnetic effect 228
Garnet 54
Germanium 294
GGG 332
Giant magnetoresistance 185, 276, 282, 288
Giant magnetostriction 540, 546, 570, 573
Giant stress-impedance effect 567
Gilbert damping parameter 42
Glass-ceramics 533
GMI 557
GMR 189, 207
GMR film 198
Grain boundary 279

0304-8853/02/$ - see front matter
PII: S0304-8853(01)01387-7

Grain refiner 471
Grain size distribution 385
Granular film 145, 154, 213, 310
Granular magnets 307

Half-metal 261
Half-metallic 269
Hall effects 335
Hall voltage 343
Hard magnet 437, 450
HDDR 444, 447
Head trimming 399
Head–disk interface 367
Heavy fermion 63
Heusler type 521
High density recording 399
High frequency 487
High frequency MR 198
High pressure 307
High write field 399
High-current-density 564
High-frequency characteristics 498
High-T_C oxide 79
Holmium magnet pole 586
Hopkinson effect 447
HTS current leads 586
Human action pattern 576
Hybrid structure of ferromagnet and semiconductor 39
Hydrogen pressure 444
Hysteresis 70, 176
Hysteresis loop 25, 371

In situ flying height measurement 367
In-plane and perpendicular anisotropy 276
Induced anisotropy 546
Induced strain 412
Inductance 579
Infrared radiation 582
Infrared sensor 576
Inhomogeneous Alloys 189
Interface Magnetism 33
Interface roughness 138
Interface scattering 246
Interfacial roughness 116
Invar alloy 60, 502
Ion irradiation 390
Ion-implantation 513
IPM synchronous motor 600
Iron based material 356
Iron oxide films 457

Joule heating 567

Kerr microscopy 252, 375
Kerr rotations 326

$L1_0$ 217
$L1_0$ ordering 310

Large angle light scattering 586
Large magnetostriction 551
Lateral grain growth 282
Layered manganites 192
Leakage flux observation 356
Linewidth 42
Longitudinal media 406
Longitudinal permeability ratio 304
Longitudinal thin film media 22, 396
Loss 402
Low temperature sintering 490
Low-field tunnel-type MR 279

Magnetic 604
Magnetic aftereffect 495
Magnetic anisotropy 45, 266, 313
Magnetic anisotropy energy 88
Magnetic characteristics 617
Magnetic circuit model 600
Magnetic cluster 359
Magnetic couplings 329, 614
Magnetic disk drive 378
Magnetic domain 375
Magnetic dots 220
Magnetic fluid 617
Magnetic force microscopy 220, 371
Magnetic hysteresis 294
Magnetic inhomogeneous 537
Magnetic interactions 307
Magnetic moments 66, 285
Magnetic moments calculated 39
Magnetic multilayers 276
Magnetic nanostructures 220
Magnetic pole density distribution 359
Magnetic properties 97, 252, 272, 457, 464, 521, 533, 597
Magnetic property 453
Magnetic recording 22, 367, 378, 396, 406, 409
Magnetic relaxation 73
Magnetic shielding 591, 595
Magnetic thin film inductor 579
Magnetic thin films 261, 298, 468
Magnetic transition 409
Magnetic tunnel junctions 120, 123
Magnetic wood 617
Magnetically ordered materials 164
Magnetisation reversal dynamics 103
Magnetisation reversal process 103
Magnetization 5, 70, 228, 415
Magnetization curves 1
Magnetization decay 371
Magnetization reversal 237
Magneto-active ions 537
Magneto-impedance 564
Magneto-optical 415
Magneto-optical Kerr effect 255, 294
Magneto-optics 537
Magneto-thermal effect 402
Magnetocrystalline anisotropy 66, 149, 479

Magnetoelastic anisotropy 570
Magnetoelastic properties 554
Magnetoimpendance 560
Magnetoresistance 100, 112, 145, 160, 201, 204, 213, 272
Magnetoresistance element 576
Magnetoresistive switch 145
Magnetostatic and magneto-optical properties 484
Magnetostatic coupling 234
Magnetostatic interactions 123
Magnetostriction 94, 554
Magnetotransport 204
Magnets 475
Magnon excitation 167
Manganates 97
Manganese oxides 170
Manganites 11, 537
Mangetotransport 192
Martensitic transformation 551
Maxwell stress 607
MBE 145, 266
Mechanical compounding 464
Mechanical milling 60
Melt-spun alloys 430, 441
MEMS 610
Mesoscopic physics 240
Metallic superlattice 255, 266
Metal–insulator transition 173
MFM 359
Micromagnetic simulations 1, 237, 399
Micromagnetics 25, 234
Micromagnetism 252
Microstructure 415, 437, 457, 495
Mictomagnetism 51, 307
Molecular beam epitaxy 269, 326
Mössbauer 54, 461
Mössbauer spectroscopy 76, 82, 100, 506
Motor characteristics 597
MR component 176
MR head 106
Multilayer 282, 288, 319, 343
Multilayer films 272
Multilayer thin films 338
Multilayers 45, 326, 329
Mumetal 304

N-ion implantation 185
Nano-ring 228
Nano-wire 243
Nanocomposite 437
Nanocomposite permanent magnet 424
Nanocomposites 433, 441, 461
Nanocrystalline 249, 316, 487, 509
Nanocrystalline alloy 502
Nanocrystalline materials 506
Nanocrystalline particles 307
Nanoparticle 524
Natural oxidation 129
Néel temperature 530
Neodymium iron boron 430, 447

Nitriding 468
Non-Fermi liquid 31
Non-Kramers doublet 31
Nondestructive evaluation 356
Nonlinear magneto-optical effect 351

Oblique incidence evaporation 45
Optimization 604
Ordered alloy 217
Orthorhombic 11
Oxides 157

Paramagnetic Meissner effect 301
Paramagnetism 524
Partial erasure 359
Permalloy 17, 42, 610
Permalloy microstripe 252
Permanent magnet thin films 316
Permeability 487, 506, 560
Perovskite 70, 85
Perpendicular anisotropy 36
Perpendicular magnetic anisotropy 291, 326, 412
Phase diagram 409, 518
Phase evolution 433
Phase separation 409
Photoemission 261
Pick-up head 604
Planar-type head 399
Polaronic transport 192
Proximity effect 301
Pseudo single crystal 149
Pulse current annealing 567

Quadrupolar Kondo 31
Quality factor 579
Quantum dots 240
Quantum rings 240

Raman scattering 170
Rapid solidification 424
Rapid thermal anneal 120
Rapidly solidified alloy 551
Rapidly solidified NdFeB 418
Rare earth–transition metal intermetallic compounds 540
Rare-earth permanent magnet 25
Reentrant spin glass 518
Remanence curves 371
Residual stress 546, 570
Resin-bonded magnets 597
Resistance–area products ($R \times A$) 129
Resistivity 509
Rhombohedral 11
RKKY 338

Samarium iron nitride 447
Saturation magnetization 36, 479
Scaling behavior 97
Scanning kerr microscopy 346
Scanning tunneling microscopy 126
Second annealing treatment 195
Second harmonic generation 351
Segregation 406
Selected area diffraction pattern 450
Self-organization 224
SEM 5
Shape anisotropy 231
Shape memory alloy 521
Silicide 319
Silicon steel 513
Single electron transistor 141
Single spin ensemble model 149
Single-electron transistor 112
Sintered Fe_3O_4 ferrites 160
Size effects 123
Soft magnetic properties 509
Soft magnetic thin films 498
Sol–gel 54, 279
Spark plasma sintering 464
Specific heat 60, 63
Spherical powders 418
Spin accumulation 135
Spin dependent transport 157
Spin dependent tunneling 129
Spin flop 179
Spin fluctuations 527
Spin freezing 51
Spin glass 79, 518, 524
Spin injection 135
Spin polarization 116, 132
Spin reorientation transition 298
Spin valve head 106
Spin valves 176, 179, 195, 207, 237, 288
Spin-dependent transport 167
Spin-dependent tunneling 141
Spin-flop transition 573
Spin-glass 11, 51, 63, 70
Spin-polarization 167
Spin-polarized tunneling 126
Spin-wave stiffness constant 560
Spinel 63
Sputtering 36
Sputtering parameter 453
Sputtering—magnetron 371
SQUID 371
Staggered undulator 363
Step induced magnetic anisotropy 17
Stoner–Wohlfarth model 176
Strain 266
Strip casting 475
Structural disorder 60
Structural instability 502
Submicron dots 234
Superconducting magnet device 586
Superconducting RF cavity 591
Superconductivity 141, 301
Superexchange interaction 82
Superlattice structure 329
Superlattice-based spin valves 210
Superlattices 332, 351
Superparamagnetism 224, 524
Surface 39
Surface alloy 285
Surface magnetism 351
Surface magneto-optical Kerr effect 291
Surface reconstruction 224
Susceptibility spectrum 513
Synthetic antiferromagnets 123, 179
Synthetic ferrimagnetic 22, 396
Synthetic pinned layer 207

Taguchi method 604
Tb–Fe/Fe multilayer 573
Telecare 576
Temperature dependence 343
Temperature–time–transformation diagrams 424
(0 0 2) texture 468
Thermal annealing 291, 570
Thermal decay 22, 396, 406
Thermal expansion 60, 412, 502
Thermal property 249
Thermal stability 116, 120, 195, 385
Thermomagnetic analysis 453
Thickness deformation 356
Thickness dependence 453
Thickness effects 498
Thin film electrodes 198
Thin films 28, 33, 201, 217, 231, 406, 453, 471, 509, 540, 546, 570, 579
Thin films—sputtered 371
Thin magnetic film 335
Thin-film media 385
Three-dimensional atom probe 437
Torque constant 607
Transition undulator radiation 582
Transmission electron microscopy 437
Transport 201
Transportation properties 51
Transverse permeability ratio 304
Tribology 378
Trilayers 313
Tunnel magnetoresistance 138, 167
Tunneling magnetoresistance 116, 120, 126, 129, 154
Tunneling magnetoresistance (TMR) 132
Twin structure 323

Ultra-thin film 291
Ultrasonic wave 94
Ultrathin films 294
Ultrathin permalloy wire 246
Underlayer 390
Uniaxial magnetic anisotropy 231
Unidirectional anisotropy 149, 182

Viscosity 176
Viscosity effects 185

Vortex nucleation and annihilation 234
Vortex states 1

X-ray absorption 91
X-ray diffraction 5
XANES 48
XMCD 586
XMLD 586
XRD 329

YIG 332
Yttria-stabilized cubic zirconia 323

ZFC 11, 70
Zinc-blende 269
Zn doped Fe_3O_4 ferrites 160